OUTDOORED378-A

Correction time: 24/10

Aluminum pole standing LED advertising billboard for outdoor 4500cd/m2









The IP56 rating provide full protection against dust and water projection. Built in intelligent heating and cooling, together with a smart automatic air circulation system.



Sunlight Readable Image

Adjusts the brightness of the monitor automatically according to the surrounding lighting conditions. This feature considerably reduces power consumption and increases the monitor's lifetime.



Glasslessdesign

Noglassshielding, candirectly solve the problem of solar reflection, the heatinfront of the moduleca nalso bequickly dissipated



Intelligent Thermal Management

According to the surrounding environment temperature to adjust the internal temperature, to ensure that the equipment in the appropriate temperature range, to extend the service life of the equipment.

FOR MORE INFORMATION

For more information about CNLC, visit our website at www.cnlcdisplay.com. Copyright © cnlcdisplay All rights reserved. All speci fications and descriptions are subject to change without notice. Reproduction without permission is prohibited.





Product Parameters



| Model No. | P4 | P6 | P8 |
|------------------------------|------------------------------|-----------------------|----------|
| Pixel Pitch | 4mm | 6mm | 8mm |
| Pixel Density(dots/m²) | 62,500 | 27,778 | 15,625 |
| LED Encapsulation | SMD1921 | | SMD2727 |
| Scan Mode | 1/10scan | 1/8 scan | 1/5 scan |
| Module Size | 360x160 mm | | |
| Module Resolution | 80 x 40 | 64 x 32 | 40 x 20 |
| Brightness (cd/m²) | ≥4,500 | | |
| Max. Power Consumption(W/m²) | 645 | 760 | 644 |
| Ave. Power Consumption(W/m²) | 323 | 380 | 322 |
| Energy Saving design | 4.2 - 5V | | 5V |
| Degree of Protection | Front IP65 | | |
| Service | Front & Rear Dual Service | | |
| Power Supply | AC120/ 240V (50Hz)(optional) | | |
| Refresh Rate (Hz) | 3840Hz | | |
| | | TO THE REAL PROPERTY. | |


FOR MORE INFORMATION

For more information about CNLC, visit our website at www.cnlcdisplay.com. Copyright © cnlcdisplay All rights reserved. All speci fications and descriptions are subject to change without notice. Reproduction without permission is prohibited.



Dimensional and structural drawings





For more information about CNLC, visit our website at www.cnlcdisplay.com. Copyright © cnlcdisplay All rights reserved. All speci fications and descriptions are subject to change without notice. Reproduction without permission is prohibited.